

3. Applies MiniCap to transfer set immediately.

## SKILLS CHECKLIST: PERITONEAL DIALYSIS

| 1=Cannot Perform Skill Independently 3=                           |  | JNIT:   | NIT: DATE: |   |     |  |          |
|---|--|---|------------|---|-----|--|----------|
|   |  | 3=Can Perform Skill Indep<br>N/A=Not Applicable |            |   |     | pendently<br>**Evaluator must initial every line |          |
|   |  | 1   | 2          | 3 | N/A | **EVALUATOR'S<br>INITIALS                        | COMMENTS |
| I.  | Preparation  |   |            |   |     |  |          |
| 1.  | Checks solution bag temperature  |   |            |   |     |  |          |
| 2.  | Sets up clean workspace/cleans working surface   |   |            |   |     |  |          |
| 3.  | Removes transfer set up  |   |            |   |     |  |          |
| 4.  | Put on a new mask  |   |            |   |     |  |          |
| 5.  | Hand Hygiene for 1 minute  |   |            |   |     |  |          |
| 6.  | Checks solution bag for S-C-A-L-E.   |   |            |   |     |  |          |
| II.   | Setup for the Exchange   | <u> </u>  |            |   |     |  |          |
| 1.  | Inspects pull ring, tubing, and frangibles   |   |            |   |     |  |          |
| 2.  | Checks that transfer set is closed   |   |            |   |     |  |          |
| 3.  | Handrub for 20-30 seconds  |   |            |   |     |  |          |
| III.  | Connect for the Exchange   |   |            |   |     |  |          |
| 1.  | Breaks blue frangible on UltraBag and removes pull ring from UltraBag                    |   |            |   |     |  |          |
| 2.  | Removes MiniCap on transfer set and <b>immediately</b> connects transfer set to UltraBag |   |            |   |     |  |          |
| 3.  | Places clamp on file line and break green frangible near solution bag.                   |   |            |   |     |  |          |
| 4.  | Hangs new bag on IV pole and places empty bag on floor with clear side up.               |   |            |   |     |  |          |
| IV.   | Exchange   |   |            |   |     |  |          |
| 1.  | Opens transfer set to DRAIN. Drains <b>completely</b> then closes transfer set.          |   |            |   |     |  |          |
| 2.  | Removes fill line clamp to FLUSH. Count to 5. Places clam on drain line.                 |   |            |   |     |  |          |
| 3.  | Opens transfer set to FILL. Wait till fresh bag empties.                                 |   |            |   |     |  |          |
| 4.  | Closes transfer set to FILL. Clamp fill line with second clamp.                          |   |            |   |     |  |          |
| V. Disconnect after Exchange                                      |  |   |            |   |     |  |          |
| 1. Handrub for 20-30 seconds                                      |  |   |            |   |     |  |          |
| Opens MiniCap package and disconnects transfer set from UltraBag. |  |   |            |   |     |  |          |

| VI. Dwell  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
| 1. Secure catheter and transfer set to abdomen                                       |  |  |  |  |  |  |  |  |
| 2. Check the drained bag for clarity   |  |  |  |  |  |  |  |  |
| 3. Weigh drained bag and document in ALTERA  |  |  |  |  |  |  |  |  |
| OVERALL REVIEW  Outstanding Satisfactory Needs Improvement Unsatisfactory  Comments: | ACTIONS RECOMMENDED  Schedule makeup of procedure Review procedure policy before makeup further demonstration of skill by supervisor In-service/Continued Education required |  |  |  |  |  |  |  |
| Print Staff Name:  |  |  |  |  |  |  |  |  |
| Staff Signature:   |  |  |  |  |  |  |  |  |
|  | nonstration/Observation Practical Exercise Interactive Class   |  |  |  |  |  |  |  |